# CVC Systems // COME



### **Central Vacuum Conveying Systems**

Intelligent design solutions for simple, consistent, and instantly controllable plastic processing automation

Every customer faces unique plastics processing demands. **Comet Automation Systems** couples over 30 years of experience in research, development, and sales with reliable, high-quality auxiliary automation equipment to provide intelligent, customized design solutions to meet your specific application.

Comet's filterless vacuum receivers efficiently convey material for all plastic processing applications. They are constructed from the highest quality stainless steel, crucial to insure a long production life.

Comet's vacuum receivers are modularly designed, can be automatically or manually cycled, and are easy to maintain, making them the most innovative vacuum systems in our industry.

The total capacity, distance, and number of machines dictate the size of the system.









## Solving Your Processing Demands

### Seamless Integration from Concept to Completion

Storage Silos

CVC Systems ///


**Central Weigh Blending** 

Honeycomb Dryer with Two (2) Drying Hoppers





Allen-Bradley Control



Vacuum Pumps and **Central Filters** 

**Inside Surge Bins** 



Tilt Tables and Piping

cometpe.com





#### **JIT Glass Loaders**



- Filterless loader constructed of high quality stainless steel to insure a long, corrosion-free production life.
- Internal cyclone separator to remove fines and dust from material.
- Material can be stored in silos, saving floor space and creating a safe, clean working environment.



**Color Feeders** 





Proportioning Valve


# CVC Systems /




### **Central Vacuum Conveying Systems**









#### **Specifications**

Model	Height	Maximum Diameter	Maximum Throughput	Mounting Rim Diameter	Inlet Size
CV3	<b>26</b> <sup>1</sup> / <sub>2</sub> ″	6½″	60 lbs./hr.	41⁄4″	11/2" or 2"
C6	26¼″	91/8″	120 lbs./hr.	111/4″	11/2" or 2"
C12	32″	91/8″	250 lbs./hr.	111/4″	11/2" or 2"
C24	38″	16″	1,000-2,000 lbs./hr.	10″	2" or 21/2"

We reserve the right to change dimensions, technical data, and specifications without prior notifications.



6555 Garden Rd. Unit 16 • Riviera Beach FL 33404 800-328-5088 Fax: (937) 296-9069



Scan this QR code with your mobile device to see our complete line of auxiliary products.

222

All Rights reserved. Printed in U.S.A.

cometpe.com